

Chapter Title: Index

Book Title: Modeling Infectious Diseases in Humans and Animals

Book Author(s): Matt J. Keeling and Pejman Rohani

Published by: Princeton University Press. (2008)

Stable URL: <https://www.jstor.org/stable/j.ctvcn4gk0.13>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.

Your use of the JSTOR archive indicates your acceptance of the Terms & Conditions of Use, available at <https://about.jstor.org/terms>



JSTOR

Princeton University Press is collaborating with JSTOR to digitize, preserve and extend access to *Modeling Infectious Diseases in Humans and Animals*

Index

- Acquired immunity, **3**, **16**, 107–112, 121. *See also* Immunity: Cross or partial
- Additive noise, **193–200**
- Age at first infection, 31–33
calculation, **31–33**, 40, 115, 295
use in models, 46, 82, 161–162, 181, 302, 305
use in parameterization, 51–52
- Age structure, **77–93**
control, 81–82, 303–306
general, 46, 114, 159, 181–183
measles, 84–89
parameterization, 82–84
rubella, 304–306
- AIDS, 55, **71–74**. *See also* HIV
- Annual forcing, **155–187**, 302, 327–333
deterministic period, 177–178, 186
dominant period, 174, 177–178, 188
resonance, 160–164
- Anthrax, **144**
- Antibiotic resistance, **111–113**
- Assortative mixing, 58, 60, **67–69**, 75, 82, 84, 306–308
- Asymptomatic infection, 4, 148, 193, **317–320**
- Attractors
coexisting, 167–170, 179–180, 185–188
periodic, 163–164, 177–178, 327–334
stability, 170
See also Equilibria
- Bacterial infections, **2–3**
- Basic reproductive ratio, **5**, **19–21**
for malaria strains, 115
in multi-compartment models, 97–98
in multi-strain models, 127
in risk structured models, 59–62, 66–68, 75, 80
in simple models, 19–21, 28, 35, 36, 38, 39, 42, 45, 49–52, 293
in spatial models, 241–245, 267
in vector-born models, 138
- Basins of attractors, **167–170**, 179–180
- Biennial cycles, 112–114, **162–167**, 185–187
measles, 87–89, 112–114, 173–176, 178–180, 220
- Bifurcation diagrams, **164–167**, 170
generic for measles, 166, 169, 172, 180
pulsed births, 186
sinusoidal births, 185, 188
sinusoidal forcing, 169, 172
term-time forcing, 172, 180
- Bite rate of mosquitoes, **136–138**, 150–151
- Bioterrorism, 9, 144, **313–314**
- Birth rate
constant, 26–28
density dependent, 74–75, 133, 328
pulsed, 186, 187, 329
sinusoidal, 185, 188
- Bovine spongiform encephalopathy (BSE), 38, **89–92**, 99
- Brucellosis, 144
- Bubonic plague, 6, 23, 77, 105, 148
- Carriers, **44–46**. *See also* Asymptomatic infection
- Case reports, 23, 27, 56, 88, 106, 146, 156, 176, 179, 207, 261, 272, 324
compared to prevalence, 50
parameterization using, 50
- Cellular automata, **257–262**
- Chaos, 166–167, 172–173, 178, 180–181
- Chickenpox, 5, 16, 21, 44, 156, 161, 182, 294
- Chlamydia, 56, **74–76**
- Cholera, 2, 124, 158
- Citrus Tristeza virus, 6, 269–274
- Coexisting attractors, **167–170**, 179–180, 185–188
- Coexisting strains, **119**, **128**
- Co-infection, **116–117**, **125–128**
- Commuters, 209–211, **242–245**
- Compartmental models, **16–19**
SEIR, 41–43, 94–95
SI, 34–39
SIR with demography, 26–34
SIR without demography, 19–26
SIS, 39
- Competition, 108–112, 119–122, 128
- Competitive exclusion, **108–109**
- Contact process, **258–259**
- Contact tracing, 7, 274, 308–309, **312–321**
- Control, **291–335**
by contact tracing, 7, 308–309, 312–321
by culling, 6, 91–92, 271, 274–276, 321–325, 327–333
by quarantining, 6, 308–311, 313–331
by vaccination, 5–6, 9, 63–64, 67, 81–82, 213–214, 249–250, 292–308
- Coupled lattice models, **255–257**
- Coupling, **235–236**, 245–246
for commuters, 243–245, 245–246

- Coupling (*cont.*)
 for humans, 242–243, 245–246
 lattices, 252, 256
 metapopulations, 238–240, 251
 networks, 280
 for sessile hosts, 240–241, 245–246
 for wildlife, 241–242, 245–246, 252, 253
 Covariances between S and I , **195–197**, 228–229, 286
 Creutzfeldt-Jacob Disease, 89
 Critical community size, **205–209**
 Critical vaccination threshold, **292–308**
 Cross immunity, **107–109**, **118–119**, **125–127**.
 complete, 107–112
 partial, 118–125, 125–128
 Culling, 6, 91–92, 271, **274–276**, 321–325, 327–333
 Cyclic dynamics
 due to seasonality, 155–189, 327–334
 due to stochasticity, 195–196, 197–198

 Damped oscillations, **29–32**, 35–36, 40–41, 42, 73
 Data, 21, 23, 27, 56, 70, 71, 88, 86, 93, 114, 106, 146, 156, 176, 179, 207, 261, 272, 324
 comparing model to, 23, 27, 86, 88, 93, 100, 114, 132, 171–172, 175–176, 207, 253–254
 parameterization from, 21, 48–52, 64–70, 82–84, 129, 148–151, 219, 236, 253–254
 Demographic stochasticity, **200–214**
 Dengue fever, 34, 106, 124, 129, 135, 158
 Density-dependent birth rate, 74–75, 133, 328
 Density-dependent transmission, **17–18**, 35–36, 133, 241
 Deterministic vs. stochastic, **190–193**, 213–214, 227–228,
 Diffusion, **262–266**
 Direct vs. indirect transmission, **2–3**
 Discrete space, 255–262, 264, 270–271
 Discrete time
 approximations, 25, 204–205, 270
 models, 46–48
 Disease vs. infection, **3–5**, 23, 37, 50–51, 89, 100, 193, 310, 318
 Disease-induced mortality, **34–39**, 72, 74–76, 109, 125–128, 133–135, 141–143, 318, 327–329
 Distributions, 4, **93–102**, 208–209, 318–321
 Dispersal, **240–241**, 253, **265–268**, 272–274
 Drift-dynamics of influenza, **120–122**

 Ebola, 129, 144, 328
 Effective reproductive ratio, 63, 77, 108, 299, 306
 Eigenvalues, **30–31**, 42, 47, **60–62**, 72, 170,
 Eigenvectors, **60–62**
 Endemic, **26–29**. *See also* Equilibria
 Epidemic, **28–31**, **35–39**, 43, 57–61, 116–118, 127–128, 139, 235, 245, 250–251, 267–278
 Equilibria
 SIS, 39
 SI, 38–39
 SIR, 28–29, 35, 36, 38
 SEIR, 42
 stability, 30–31, 42, 47
 See also Attractor
 Eradication, 63–64, 82, 91–92, 213–214, 246–250, **292–333**. *See also* Control
 Event-driven models, **200–221**, 321–327
 Evolution, **109–112**, 120–122
 Exponential distribution
 age-related susceptibility, **51–52**, 80–81, 115–116, 303–304, 304–306
 infectious and incubation periods, 94–96
 Exposed (or latent) class, 3–4, **41–43**, 46–48, 84–87, 89–91, **94–99**, 100–102, 125–127, 149–151, 317–321, 327–329
 Extinction
 deterministic, 76, 82, 108, 117, 128, 133–135
 stochastic, **205–214**, 236, 246–250, 295–296
 See also Eradication

 Fadeout, **205–209**
 Faroe Islands, 260–261
 Fixed points. *See* Equilibria
 Fleas, **141–143**
 Fluctuations
 seasonal, 155–189, 327–334
 stochastic, 195–196, 197–198
 Fokker-Plank equations, **222–227**
 Foot-and-mouth disease (FMD), 9, **131–133**, 274–276, **321–327**
 Force of infection, **17–18**, 80–81, 122–124, 237–238, 243–244, 267–268, 272–273, 280
 Forcing, **155–188**
 pulsed birth rate, 185–186, 327–333
 sinusoidal birth rate, 183–188
 sinusoidal transmission, 159–170
 term-time transmission, 85–89, 171–183
 Forest-fire models, **259–260**
 Forward Euler, 25, 194, 264
 Frequency of oscillations, **29–32**, 35–36, 40–41, 42, 73, 160–162, 177–178. *See also* Cyclic dynamics
 Frequency-dependent transmission, **17–18**, 36–37, 136
 Fourier spectrum, 176, **177–178**, 182, 187–188

 Gamma distribution, **93–102**, 208–209, 318–321
 Genetic drift, 121–122
 Genetics, 76–77, 102, 120–122
 Gillespie's methods, **201**, 203, 204, 205
 Graphs and networks, 68–70, **276–280**
 Gonorrhea, 55–56

 Hantavirus, 144–146
 Harmonic resonance, **160–163**
 Herd immunity, **294**
 Hepatitis B, 44–46
 Heterogeneities
 age, 77–92

- risk, 55–77
- sexual partners, 65–67, 71–74
- space, 232–290
- use in control, 63–64, 67–68, 81–82, 89–92, 246–250, 275–276, 303–306, 306–308, 321–327
- HIV, 55, 70, **71–74**
- High-risk groups, **57–64**
- Horizontal transmission, 75, 89–90
- Immigration, **210–212, 241–242**
- Immunity
 - acquired, 3, **16–34**
 - cross or partial, **107–128**
 - waning, **40–41**, 214–217, 298–301
- Immunization. *See* Vaccination
- Imports of infection, **209–212**, 260
- Incubation period, 4, 93, 317–320
- Indirect vs. direct transmission, **2–3**
- Individual-based models, **217–219, 268–275**
- Infected vs. infectious, **41–44**
- Infection vs. disease, **3–5**, 23, 37, 50–51, 89, 100, 193, 310, 318
- Infectious class, **16–32**
- Infectious period, **16–19, 93–102**, 208–209, 318–321
- Influenza, 21, **26–27**, 120–122
- Integration methods, **25–26**, 194, 264
- Integro-differential equations, 99–100, **265–268**
- Interference, **113–115**, 125–128
- Invasion, **28–31, 35–39**, 43, 57–61, 116–118, 127–128, 139, 235, 245, 250–251, 267–278
- Isolation, 236, 308–321
- Jacobian, **30–31**, 42, 47, 170
- Koalas & Chlamydia, **74–76**
- Kolmogorov-forward equations, **223–228**
- Latent period, **4, 41–43**, 94–98. *See also* Exposed class
- Lattices, **255–262**, 282–283
 - cellular automata, 257–262, 269–274
 - networks, 277–279
 - ordinary differential equations (ODEs), 252, 255–257
- Levins-type metapopulation, **250–251**, 252–255
- Likelihoods, **51–52**, 219
- Livestock infections, 3, 144, 145, 210, 241, 291
 - bovine spongiform encephalopathy (BSE), 38, 89–92, 99
 - foot-and-mouth disease (FMD), 9, 131–133, 274–276, 321–327
 - porcine reproductive and respiratory syndrome (PRRS), 214–217
- Leishmania, 105, 135, 148
- Low-risk groups, **57–64**
- Macro- vs. micro-parasite, **2–3**
- Malaria,
 - age structure, 115–116
 - R0 estimation, 115–116
 - vector transmission, 135–141
- Mass-action transmission
 - formulation, 17–18
 - mortality, 36–37
 - See also* Frequency-dependent transmission
- Mass vaccination, 5–6, 9, **292–306**
 - measles, 178–181, 294
 - rubella, 304–306
 - problems, 9, 314, 317–318
 - pulsing, 249–250, 301–303
 - smallpox, 5–6, 9, 314, 317–318
 - stochasticity, 295–296
 - thresholds, 293–294
 - uses, 292, 314, 317–318
 - See also* Control; Vaccination
- Master equations, **223–228**
- Maternal antibodies/immunity, **28, 33**
- Matrices for transmission, **58–61**, 76–77, 83–85, 88, 130–131, 138, 150
- Measles, **84–89**, 93, 112–115, 155–158, 159–181, 193, 206–209, 210–211, 260–261
- Meningitis, 4, 9, **106**
- Metapopulation, **237–255**, 282–283
 - basic structure, 237–238
 - for humans, 242–245, 245–246
 - Levins-type, 250–251
 - phocine distemper, 252–253
 - rabies, 252–255
 - for sessile hosts, 240–241, 245–246
 - UK communities, 243–244
 - for wildlife, 241–242, 245–246
- Methicillin 4, 310
- Resistant *Staphylococcus Aureus* (MRSA),
- Micro- vs. macro-parasite, **2–3**
- Migration, **241–242**, 245–246
- Minimum infected ratio, **137**
- MMR (measles-mumps-rubella) vaccine, **298**, 304
- Models, **7–10**
 - comparison to data, 23, 27, 86, 88, 93, 100, 114, 132, 171–172, 175–176, 207, 253–254
 - good practice, 10, 149, 200, 204, 269, 282–283
 - parameterization, 21, 23, 48–52, 64–70, 82–84, 148–151, 156–157, 219, 253–254, 268, 272
 - simple vs. complex, 10, 42–43, 88–89, 92, 149, 208–209, 220–221, 251, 255, 257–259, 261, 282–283, 291–292, 318
 - uses, 8–10, 63–64, 71–74, 77–78, 89–92, 100, 106, 111, 116, 135, 144–145, 148–150, 214, 243–244, 274–276, 298, 304–306, 313–321, 321–327, 327–333
- Moment closure,
 - for networks, 283–286
 - for spatial processes, 286–287
 - for stochastic models, 227–229
- Mortality, **34–39**, 72, 74–76, 109, 125–128, 133–135, 141–143, 318, 327–329

- Mortality (*cont.*)
 density-dependent transmission, 35–36
 frequency-dependent transmission, 36–37
 late in infection, 37–39
- Mosquitoes, **136–142**, 148–152, 158, 140–142
 fast dynamics, 140–142
 minimum infected ratio, 137
 quasi-equilibrium, 140–142
 standard models, 136–138
 threshold density, 139–140
- Multiple attractors, **167–170**, 179–180, 185–188
- Multiple hosts, **128–151**, 274–276, 321–327
- Multiple strain, **106–128**
- Mumps, 156–157, 260–261, 294, 298
- Mutation, 109–111, 120–122
- Natural period, 29–32, 35–36, 40, 42. *See also*
 Resonance
- Networks, **276–282**, 282–283
 lattices, 255–262, 277–279
 random, 277
 scale free, 279–280
 sexual, 68–70, 312–313 (*see also* Contact tracing)
 simulation, 280–282
 small world, 279
 social, 261, 276, 279–280 (*see also* Contact tracing)
 spatial, 279
- Noise, **192–200**, 222–224
 demographic, 197 (*see also* Demographic
 stochasticity)
 observational, 193
 in parameters, 198–200
 process, 193–198
- Number of sexual partners, **64–70**, 71–72
- Numbers vs. proportions, **17–19**, 191
- Numerical integration, **25–26**, 194, 264
- Observational noise, **193**
- Oscillations
 cross immunity, 122–125
 damped, 29–32, 35–36, 40, 42
 natural period, 29–32, 35–36, 40, 42
 seasonally forced, 155–188
 stochastic, 195–198
- Pediatric vaccination, **292–296**, 298–301, 303–306
 age of first infection, 295, 304–305
 eradication threshold, 293–294
 pulsed, 301–303
- Pairwise approximations, **283–287**
 networks, 283–286
 spatial, 286–287
- Parameterization, 10, **48–52**, 55, 64–70, 82–84, 129,
 148–151, **219**, 236, 253–254
- Parapox virus, **133–135**
- Partial differential equations (PDEs), 79, 222–223,
262–265
 from case reports, 50–51, 82–84, 87–88, 100–102,
 175–176
 from serology, 51–52, 82–84, 86, 148–151, 215
 for ordinary differential equations (ODEs), 52,
 64–70, 82–84,
 for seasonally forced models, 85, 87–88, 175–176
 for stochastic models, 219, 253–254, 269, 272
- Period of oscillations, **29–32**, 35–36, 40–41, 42, 73,
 160–162, 177–178. *See also* Cyclic dynamics
- Period,
 exposed, 3–4, 41–43, 46–48, 84–87, 89–91,
 94–99, 100–102, 125–127, 149–151, 317–321,
 327–329
 incubating, 4, 93, 317–320
 infectious, 16–19, 93–102, 208–209, 318–321
 prodromal, 4, 319
- Periodicity
 determining, 177–178
 due to forcing, 155–189, 327–334
 due to stochasticity, 195–198
- Persistence, **205–209**, 211–212, **212–213**
- Pertussis, **112–115**, 207, 220, 260–262, 294
- Plague, 6, 23, 77
- Phocine distemper virus, **252–253**
- Porcine reproductive and respiratory syndrome
 (PRRS), 21, **214–217**
- Power-law distributions, 110–111, 235, **260–262**,
267–268, 272–274, 279–280
- Prodromal period, 4, 319
- Prophylactic vaccination, **292–297**, **298–308**
 eradication threshold, 293–294, 297, 299
 age of first infection, 295, 303–304
 seasonality, 301–303
- Proportions vs. numbers, **17–19**, 191
- Pseudo mass action
 formulation, 17–18, 133, 241
 mortality, 35–36
See also Density-dependent transmission
- Publication rates, 39271
- Pulsed births, **186–187**, 329
- Pulsed vaccination, **301–303**
 synchrony due to, 249–250
- Quarantine, 6, 112–115, 125–128, **308–321**
- Quasi-equilibrium dynamics, **140–141**
- Rabbit hemorrhagic disease, **185–187**
- Rabies, 21, 145, 183, **251–255**
- Random numbers, **190–191**
- Random parameters, **198–200**
- Random partnership model, **65–67**
- Reaction-diffusion equations, **262–265**. *See also*
 Partial differential equations
- Recovery rate, 3–4, 16, **19–24**, 26–28, 40–42, 44–45
- Reproductive ratio, 63, 77, 108, 299, 306. *See also*
 Basic reproductive ratio
- Resistance, 3, 16–34, 40–41. *See also* Immunity;
 Recovery
- Resonance, **160–164**, 192, 196–198

- Ring culling, 6, 271, **275–276**, 323
 Ring vaccination, 294, 306, 314, **326–327**
 Rubella, 21, **304–306**
- SARS, 6, 77, **100–102**
 Scale-free networks, **279–280**
 School terms, **171–183**. *See also* Forcing
SEIR models, 4–5, **41–43**, 85–88, 94–95, 166–182, 205–207
 comparison to SIR, 42–43, 94–95
 equilibrium, 42
 seasonally forced, 163, 166–168, 173–174, 176–182
 stability, 42
 Seasonality, **155–188**
 pulsed birth rate, 185–186, 327–333
 sinusoidal birth rate, 183–188
 sinusoidal transmission, 159–170
 term-time transmission, 85–89, 171–183
 Serology, **51–52**, 139, 215
 age of infection, 32–33, 115–116
 parameter estimation, 51–52, 65, 80–83, 85–86, 115–116
 Sessile vectors, **141–143**
 Sexually transmitted infections, 4, 40, **55–76**, 110, 116–117, 276
 number of partners, 65–69, 70–72
 risk structure, 57–64, 72–74
SIS models, 39, 116–117, 202–203, 220–221, 223, 312–313
 Shared hosts, **130–135**. *See also* Vectors; Zoonoses
SI models, **38–39**
SIR models, **16–34**, 78–79, 107–108, 130–131, 136, 145, 159–160, 184, 186, 194, 197, 199, 201, 237, 241–242, 259–260, 263, 293, 309
 basic reproductive ratio, 20–21
 with demography, 26–34
 without demography, 19–24
 equilibria, 28–29
 stability, 29–31
SIS models, **39**, 116–117, 202–3, 220–221, 223, 312–313
 basic reproductive ratio, 39
 equilibria & stability, 39
 risk–structure, 57–74
 See also Sexually transmitted infections
 Simulation methods
 ordinary differential equations (ODEs), 25–26, 194, 264
 networks, 280–282
 spatial processes, 270–271
 stochastic event-driven models, 201, 204, 217–219
 stochastic noisy models, 194
 Simulation time, **203–205**
 Sinusoidal forcing, **159–170**, **183–188**
 Slaved dynamics, **59–62**, 66, 73, 80, 139
 Smallpox, 5–6, 9, 21, 292–294, **313–321**
 Small-world networks, **279**
 Spatial models, **232–290**
 Spectral analysis, 176, **177–178**, 187–188
 Squirrels, red vs. gray, **133–135**
 Stability, **30–31**
 Jacobian, 30–31, 42, 47, 170
 SEIR equilibrium, 42–43
 SIS equilibrium, 39
 SIR equilibrium, 29–32
 Stochasticity, **190–232**, 321–327,
 additive noise, 193–200
 demographic stochasticity, 200–221
 imports, 209–212
 need for, 190–193, 216–217
 parameterization, 219
 persistence, 205–209, 211–213, 236
 resonance, 192, 196–198
 scaled noise, 197–200
 simulation methods, 201, 204, 217–219
 and spatial models, 221, 232
 vaccination, 213–214, 295–296
 variance, 191, 195–198, 227–229, 234–235
 See also Cellular automata; Individual-based models; Metapopulations; Networks
 Subharmonic resonance, **160–164**
 Susceptibility, 90–92, 116–117, 118–120, 131–132, 274, 308
 Susceptible class, **16–22**, 26–29, 34, 38–39
 Swine fever, **327–333**
 Synchrony, 88, 234–235, **245–250**, 303
 Syphilis, 40, **55–56**
- Targeted control, 5–7, **291–292**
 culling, 6, 91–92, 274–276, 321–325, 327–333
 quarantining, 6, 112–115, 125–128, 308–321
 vaccination, 5–6, 213–214, 292–308, 314
 τ –leap methods, **204–205**, 217, 270
 Temporal forcing, **159–188**, 327–333
 Term-time forcing, 85–89, **171–183**
 Thresholds
 for eradication, 63–64, 82, 91–92, 213–214, 246–250, **292–333**
 for invasion, 28–31, 35–39, 43, 57–61, 116–118, 127–128 139 (*see also* Basic reproductive ratio)
 for vaccination, 213, 293–294
 Ticks, 136, **141–142**
 Time since infection, 5, 74, **93–95**, **98–101**, 218, 310
 Toxoplasmosis, 144–145, 291
 Trade-offs and evolution, **109–111**
 Transmission, **16–19**
 Transmission kernel, 235, **267–275**, 286–287, 322
- Vaccination, 5–6, 179, 213–214, **292–308**, 314
 age-structured, 81–82, 86, 295, 303–306
 boosting, 298–301
 mass, 297–298, 325–326
 pediatric, 81–82, 86, 178–180, 292, 298–301

- Vaccination (*cont.*)
 pulsed, 249–250, 301–303
 ring, 326–327
 rubella, 304–206
 targeted, 63–64, 67–68, 81–82, 306–308
 thresholds, 213, 293, 294
 wildlife, 296–297
- Vector notation, **64–65**
- Vectors, **136–143, 148–152**
 fast dynamics, 140–142
- Vertical transmission, 74–75, 89–90
- Virulence, **109–111**. *See also* Disease-induced mortality
- Virus, 1–3, 15
- WAIFW (Who Acquires Infection From Whom), **58–61**, 76–77, 83–85, 88
- Waves, 123, 149, 234–235, **252–255, 256–257, 265–266**, 267–268
- West Nile virus (WNV), **148–151**
- Whooping cough, **112–115**, 207, 220, 260–262, 294
- Wildlife diseases, 3, 17–18, 130–131, 183–187, 251–255, 296–297
 Chlamydia in koalas, 74–76
 metapopulation coupling, 241–242, 245–246, 252
 parapox virus, 133–135
 phocine distemper, 252–253
 rabbit hemorrhagic disease, 38, 185–188
 rabies, 21, 145, 183, 233, 252–255, 296
 swine fever, 327–333
 transmission assumptions, 17–18, 74–75, 134
 vaccination, 296–297
- West Nile virus (WNV), 148–151
 zoonoses, 143–151
- Zoonoses 3, **143–151**